

## Air unit CXU Series

### AIR UNIT CXU SERIES



**New**


Additional solenoid valves and check valve now available.  
More flexibility and less space by combining 2000 Series.

# New-Generation Pneumatic Unit


**NEW**

**Flexible combination without piping or problems!**

A wide variety of function parts enhances versatile unit combinations. Customized specifications are also available.



2 port pilot solenoid valve  
<Blow valve>




2 port direct acting solenoid valve  
<Blow valve>




2 port direct acting solenoid valve  
<Blow valve>




2 port pilot operated solenoid valve  
<Main ON/OFF valve>




5 port pilot operated valve  
<Actuator drive>




Four direction distributor  
<Line branch>



Masking adapter  
<Masking of connection section>



Module transform adapter  
<Conversion to other series>



Turn adapter  
<90° direction conversion>

**PART**

Air unit


**CXU Series**

**NEW**



2 port pilot kick solenoid valve  
<Main ON/OFF valve>

**NEW**



Modular check valve

**NEW**



Modular F.R.L.  
2000 Series

The air unit CXU series modularizes and joins the wide variety of air components indispensable for pneumatic control and actuator drives between filters or regulators and valves. This series dramatically reduces conventional design and piping labor hours.




**配管不要・手間要らず**

## ■ Piping-versatile, space-saving

Bothersome piping design and work have been eliminated. All work is completed by preparing a single unit. Installation space is also reduced with the elimination of piping and tubes.

This also makes for a neater appearance.

Mounting positions for separate components are eliminated, and errors in mounting dimensions caused when pipes are tightened are solved.



## ■ Improved quality

No threading sections, no external leaks!

This also prevents foreign materials from entering during piping work.

**組合せ自在**


## ■ Vertical or horizontal

Vertical and horizontal pipes can be arranged versatilely.

Solenoid valves can also be connected directly.

The simple layout greatly reduces piping design labor hours.

(AIR UNIT custom order parts)



(Patent pending)

## ■ Easy change and expansion

Module joining lets air components be changed and expanded freely.

Components can be attached and removed from the front face.

This also facilitates maintenance.

■ Example of major applications

